



6-1, 2-CHOME, SHIN-YOKOHAMA, KOHOKU-KU, YOKOHAMA-SHI, KANAGAWA, JAPAN TEL.045(478)6824 FAX.045(478)6835 e-mail: info@djklab.com

DJK Ref. No. C25-037

**CERTIFICATION**

This report was issued solely for  
CHUGOKU MARINE PAINTS, LTD.  
Hiroshima, Japan

Effective on October 29, 2025

DJK CORPORATION  
Regulatory Science Laboratories



# DJK Corporation

DJK Ref. No. C25-037

## CERTIFICATION

DJK CORPORATION Regulatory Science Laboratories hereby certifies that the following product covered and manufactured by

CHUGOKU MARINE PAINTS, LTD.  
1-7, Meijishingai, Otake City,  
Hiroshima 739-0652 Japan

complies with the specification outlined in \*Code of Federal Regulations (CFR), Title 21, Food and Drugs, Parts 170 to 199, Listed as of April 1, 2025, § 175.300 Resinous and polymeric coatings.

\* Food and Drug Administration, Department of Health and Human Services (USA)

1. Product Covered : EPICON T-800  
EPICON T-800 HOLDING PRIMER
2. Type of Product : Epoxy phenol paint (2 pack)
3. Uses : C of Table 2 - Hot filled or pasteurized above 150° F with limitation only to Food Type (V)  
  
E of Table 2 - Room temperature filled and stored (no thermal treatment in the container) (II, III, IV and VI-B)
4. Type of Food : Table 1 – Types of Food, Section 175.300:  
II. Acidic (pH 5.0 or below), aqueous products;  
III. Aqueous, acid or nonacid products containing free oil or fat;  
IV. Dairy products and modifications:  
IV-A. Water-in-oil emulsion, high- or low-fat.  
IV-B. Oil-in-water emulsion, high- or low-fat.  
V. Low moisture fats and oils.  
VI. Beverages:  
VI-B. Non-alcoholic.

# DJK Corporation

DJK Ref. No. C25-037

## Analysis Test Performed

As specified in Title 21, Code of Federal Regulations, Food and Drug, Section 175.300

Condition of Use C of Table 2 - Hot filled or pasteurized above 150° F with limitation only to Food Type (V)

E of Table 2 - Room temperature filled and stored (no thermal treatment in the container) (II, III, IV and VI-B)

| <u>Solvent</u> | <u>Time</u> | <u>Temperature</u> |
|----------------|-------------|--------------------|
| Water          | 24 hours    | 120° F             |
| Heptane        | 15 minutes  | 120° F             |

for net chloroform-solubles extractives and total non soluble extractives

## Analysis Test Results

|                     |           |                         |
|---------------------|-----------|-------------------------|
| Water extractives   | (Average) | 0.01mg/in <sup>2</sup>  |
| Heptane extractives | (Average) | 0.000mg/in <sup>2</sup> |

## Conclusion

The criterion value is not to exceed 1.15mg/in<sup>2</sup>. The tested sample is within the specification.

DJK CORPORATION Regulatory Science Laboratories hereby certifies that an analysis was made under Code of Federal Regulations (CFR), Title 21, Parts 170 to 199 for CHUGOKU MARINE PAINTS, LTD. for the purpose of determining compliance of the above product under § 175.300, Resinous and polymeric coatings for the safe use of such coatings as an indirect food additive, and that said test result revealed each component to be listed under § 175.300 and other cross-reference sections for use as the food contact surface of articles intended for use under conditions prescribed in § 175.300.

# DJK Corporation

DJK Ref. No. C25-037

## Validity

This Certificate Report will be valid for two (2) years after issuance of the report. Any formulation or components change and improper application will forfeit validity of the Report.

Independent and third party testing and certification laboratories



Hiroshi Ishiwata  
Director (in charge of Certification)

Date : August 6, 2025



Toshiaki Kisu  
Director (in charge of Authorization)

Date : August 6, 2025

## Reference

Code of Federal Regulations (CFR), Title 21, § 175.300 Resinous and polymeric coatings, Listed as of April 1, 2025.

DJK holds itself harmless for any claims and damages arising from the existence and/or use of this document.  
The information and certification provided herein are based on data and information available by our reasonable effort as of date of certification.  
The information and certification apply only to the specific material designated herein as reviewed by DJK Corporation.